

PT RETEST

2012 ORDER FORM

To order Retest samples, please complete this form and return it with your payment. The following prices are effective through December 31, 2012.

Round #	Analyte	Quantity	Price	Total
IHPAT				
_____	Metals	_____	\$ 315	_____
_____	Silica	_____	\$ 470	_____
_____	Asbestos	_____	\$ 360	_____
_____	Organic Solvents	_____	\$ 305	_____
_____	Diffusive Sampler	_____	\$ 430	_____
(Select badge type: <input type="checkbox"/> SKC <input type="checkbox"/> Assay <input type="checkbox"/> 3M)				
IHPAT Kit Preparation Fee (one-time charge per order).....			\$ 80	_____
_____	Bulk Asbestos.....	_____	\$ 550	_____
_____	Beryllium.....	_____	\$ 595	_____
ELPAT				
_____	Paint	_____	\$ 305	_____
_____	Soil	_____	\$ 305	_____
_____	Dust	_____	\$ 315	_____
_____	Air	_____	\$ 315	_____
ELPAT Kit Preparation Fee (one-time charge per order).....			\$ 80	_____
EMPAT				
_____	Bacteria <u>or</u> Fungi	_____	\$ 620	_____
_____	Bacteria <u>and</u> Fungi	_____	\$1080	_____
_____	Fungi (Direct Exam).....	_____	\$ 620	_____
_____	Fungi Only (Culturable and Direct Exam) ..	_____	\$1080	_____
_____	Both Bacteria and Fungi (Culturable)	_____	\$1400	_____
and Fungi (Direct Exam)				
EMPAT Kit Preparation Fee (one-time charge per order).....			\$ 80	_____

VA residents please add 5% sales tax

Grand Total \$

FedEx/USP Account No. _____

Does your laboratory participate in an AIHA PAT program?
 No Yes

Important! Please enter your Lab ID:

Contact Name: _____

Organization: _____

Address: _____

City: _____

State: _____ Zip Code: _____

Telephone: _____

Fax: _____

E-mail: _____

Payment for proficiency testing programs

Check for \$ _____ made payable to AIHA PAT Programs is enclosed.

Credit Card
 Visa MasterCard American Express

Credit Card# _____

Cardholder's Name: _____

Cardholder's Signature: _____

Expiration Date: _____

Purchased Order #

Fax your forms to (703) 207-8558

Mail your forms and payment to the address below.

E-mail: info.PATLLC@aiha.org

Questions? Call AIHA PAT Programs at (703) 846-0796.